

SMARTLIGHT QUALIFYING PRODUCTS
Philips Reduced-Wattage T8, T5,CFL, and Metal-Halide Lamps

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs) ¹		Initial Lumens	Mean Lumens	CRI	Lumen Maintenance	Distributor Rebate Amount
						IS	RS/PRS					
PHILIPS	Energy Advantage T8	25	137810	F32T8/ADV830/XEW/ALTO 25WATT	3000	24,000	30,000	2500	2425	85	97%	\$2.00
PHILIPS		25	137828	F32T8/ADV835/XEW/ALTO 25WATT	3500	24,000	30,000	2500	2425	85	97%	\$2.00
PHILIPS		25	137836	F32T8/ADV841/XEW/ALTO 25WATT	4100	24,000	30,000	2500	2425	85	97%	\$2.00
PHILIPS		25	137844	F32T8/ADV850/XEW/ALTO 25WATT	5000	24000	30,000	2400	2330	82	97%	\$2.00
PHILIPS		28	147322	F32T8/ADV830/EW/ALTO 28WATT	3000	24000	30,000	2725	2645	85	97%	\$2.00
PHILIPS		28	147330	F32T8/ADV835/EW/ALTO 28WATT	3500	24000	30,000	2725	2645	85	97%	\$2.00
PHILIPS		28	147348	F32T8/ADV841/EW/ALTO 28WATT	4100	24000	30,000	2725	2645	85	97%	\$2.00
PHILIPS		28	147355	F32T8/ADV850/EW/ALTO 28WATT	5000	24,000	30,000	2675	2595	82	97%	\$2.00
PHILIPS	Extra long life EA T8	25	152066	F32T8/ADV830/XLL/ALTO 25WATT	3000	36,000	40,000	2400	2330	85	97%	\$2.00
PHILIPS		25	152074	F32T8/ADV835/XLL/ALTO 25WATT	3500	36,000	40,000	2400	2330	85	97%	\$2.00
PHILIPS		25	152082	F32T8/ADV841/XLL/ALTO 25WATT	4100	36,000	40,000	2400	2330	85	97%	\$2.00
PHILIPS		25	152090	F32T8/ADV850/XLL/ALTO 25WATT	5000	36,000	40,000	2350	2280	82	97%	\$2.00
PHILIPS		28	23454-2	F32T8/ADV830/XLL/ALTO 28WATT	3000	36,000	40,000	2675	2595	85	97%	\$2.00
PHILIPS		28	23726-3	F32T8/ADV835/XLL/ALTO 28WATT	3500	36,000	40,000	2675	2595	85	97%	\$2.00
PHILIPS		28	16933-4	F32T8/ADV841/XLL/ALTO 28WATT	4100	36,000	40,000	2675	2595	85	97%	\$2.00
PHILIPS		28	16938-3	F32T8/ADV850/XLL/ALTO 28WATT	5000	36,000	40,000	2675	2595	85	97%	\$2.00
PHILIPS	Energy Advantage T8 U bent	25	204206	FB32T8/ADV830/6/XEW/ALTO 25 WATT	3000	20,000	24,000	2400	2330	85	95%	\$2.00
PHILIPS		25	204214	FB32T8/ADV835/6/XEW/ALTO 25 WATT	3500	20,000	24,000	2400	2330	85	95%	\$2.00
PHILIPS		25	204230	FB32T8/ADV841/6/XEW/ALTO 25 WATT	4100	20,000	24,000	2400	2330	84	95%	\$2.00
PHILIPS		25	204248	FB32T8/ADV850/6/XEW/ALTO 25 WATT	5000	20,000	24,000	2350	2280	82	95%	\$2.00
PHILIPS	1-5/8 T8 U-Bent	29	226753	FB29T8/TL830/EA/ALTO	3000	24,000		2600	2470	85	95%	\$2.00
PHILIPS		29	226761	FB29T8/TL835/EA/ALTO	3500	24,000		2600	2470	85	95%	\$2.00
PHILIPS		29	226746	FB29T8/TL841/EA/ALTO	4100	24,000		2600	2470	85	95%	\$2.00
PHILIPS	Energy Advantage PL-L 25w	25	209130	PL-L 40W/830/XEW/4P/IS 25W	3000	20,000		2600	2470	82	95%	\$2.00
PHILIPS		26	209148	PL-L 40W/835/XEW/4P/IS 25W	3500	20,000		2600	2470	82	95%	\$2.00
PHILIPS		27	209155	PL-L 40W/841/XEW/4P/IS 25W	4100	20,000		2600	2470	82	95%	\$2.00
PHILIPS	Energy Advantage T5HO 49W	49	220491	F54T5/830/HO/EA/ALTO 49W	3000	25,000	35,000	5000	4750	85	95%	\$2.00
PHILIPS		49	220509	F54T5/835/HO/EA/ALTO 49W	3500	25,000	35,000	5000	4750	85	95%	\$2.00
PHILIPS		49	220525	F54T5/841/HO/EA/ALTO 49W	4100	25,000	35,000	5000	4750	85	95%	\$2.00
PHILIPS		49	220533	F54T5/850/HO/EA/ALTO 49W	5000	25,000	35,000	4850	4625	85	95%	\$2.00
PHILIPS	Energy Advantage T5HO 49W Extreme Temp	49	40729-6	F54T5/835/HO/EA/ALTO 49W	3500	25,000	35,000	5000	4750	85	95%	\$2.00
PHILIPS		49	40730-4	F54T5/841/HO/EA/ALTO 49W	4100	25,000	35,000	5000	4750	85	95%	\$2.00
PHILIPS		49	40752-8	F54T5/850/HO/EA/ALTO 49W	5000	25,000	35,000	4850	4625	82	95%	\$2.00
PHILIPS	Energy Advantage T8 8 foot	51	388017	F96T8/ADV835/XEW/ALTO 51W	3500	24,000	30,000	5300	4940	86	95%	\$2.00
PHILIPS		51	388025	F96T8/ADV841/XEW/ALTO 51W	4100	24,000	30,000	5300	4940	86	95%	\$2.00
PHILIPS		51	388033	F96T8/ADV850/XEW/ALTO 51W	5000	24,000	30,000	5200	4840	86	95%	\$2.00

SMARTLIGHT QUALIFYING PRODUCTS
Philips Reduced-Wattage T8, T5,CFL, and Metal-Halide Lamps

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs) ¹		Initial Lumens	Mean Lumens	CRI	Lumen Maintenance	Distributor Rebate Amount
						IS	RS/PRS					
PHILIPS	Energy Advantage PL-C	14	220343	PL-C 18W/827/XEW/4P/ALTO 14W	2700	12,000		1100	1010	82	92%	\$2.00
PHILIPS		14	220040	PL-C 18W/835/XEW/4P/ALTO 14W	3500	12,000		1100	1010	82	92%	\$2.00
PHILIPS		14	220418	PL-C 18W/850/XEW/4P/ALTO 14W	4100	12,000		1100	1010	82	92%	\$2.00
PHILIPS		21	220426	PL-C 26W/827/XEW/4P/ALTO 21W	2700	12,000		1525	1400	82	92%	\$2.00
PHILIPS		21	220475	PL-C 26W/835/XEW/4P/ALTO 21W	3500	12,000		1525	1400	82	92%	\$2.00
PHILIPS		21	220483	PL-C 26W/850/XEW/4P/ALTO 21W	4100	12,000		1525	1400	82	92%	\$2.00
PHILIPS		27	220210	PL-T 32W/830/XEW/4P/ALTO 27W	3000	16,000		1875	1725	82	92%	\$2.00
PHILIPS		27	220228	PL-T 32W/835/XEW/4P/ALTO 27W	3500	16,000		1875	1725	82	92%	\$2.00
PHILIPS		27	220244	PL-T 32W/841/XEW/4P/ALTO 27W	4100	16,000		1875	1725	82	92%	\$2.00
PHILIPS		33	220269	PL-T 42W/830/XEW/4P/ALTO 33W 33	3000	16,000		2615	2400	82	92%	\$2.00
PHILIPS		33	220285	PL-T 42W/835/XEW/4P/ALTO 33W 34	3500	16,000		2615	2400	82	92%	\$2.00
PHILIPS		33	220293	PL-T 42W/841/XEW/4P/ALTO 33W 35	4100	16,000		2615	2400	82	92%	\$2.00
PHILIPS		Halogen Par20 Electronic	20	152165	PAR20E/FL25	2900	5000				100	
PHILIPS	20		404947	PAR20E/SP10	2900	5000				100		\$6.00
PHILIPS	Halogena Energy Advantage	40	213546	40T60/HEA/WH 120V 12/1	2900	3000			800	100		\$6.00
PHILIPS		50	213561	50T60/HEA/WH 120V 12/2	2900	3000			1100	100		\$6.00
PHILIPS		70	213587	70T60/HEA/WH 120V 12/3	2900	3000			1600	100		\$6.00
PHILIPS		40	213595	40BR30/HEA/WH 120V 12/1	2815	3000			600	100		\$6.00
PHILIPS		50	229948	50BR30/HEA/WH 120V 12/2	2900	3000			800	100		\$6.00
PHILIPS		40	222364	40R20/HEA/WH 120V 12/3	2815	3000			570	100		\$6.00
PHILIPS		40	222380	40BR40/HEA/WH 120V 12/4	2900	3000			630	100		\$6.00
PHILIPS		70	229971	70BR40/HEA/WH 120V 12/5	2900	3000			1280	100		\$6.00
PHILIPS		25	224006	25F101/2/C/HEA/CL 120V 15/1	2900	3000			300	100		\$6.00
PHILIPS		25	224055	25F101/2/HEA/CL 120V 15/1	2900	3000			300	100		\$6.00
PHILIPS		40	224071	40F101/2/C/HEA/CL 120V 15/1	2900	3000			540	100		\$6.00
PHILIPS	40	224089	40F101/2/HEA/CL 120V 15/1	2900	3000			540	100		\$6.00	
PHILIPS	Metal Halide Econ-o-watt	360	39065-8	M165/M59/S	4300	20,000		36000	24500	60	68%	\$10.00
PHILIPS	Metal Halide Econ-o-watt	360	39066-6	M165/M59/S	4000	20,000		34200	22600	65	66%	\$10.00
PHILIPS	Ceramalux HPS	225	322917	C225S50/EW		24,000		27300	24620	21	90%	\$10.00
PHILIPS	Ceramalux HPS	360	322925	C360S51/EW		24,000		46000	41450	21	90%	\$10.00

¹ Life based on 3-hr. duty cycle

SMARTLIGHT QUALIFYING PRODUCTS

Philips Halogen Infrared and Reduced-Wattage Metal-Halide Lamps

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Type	Beam Angle	Volts	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs)	Lumens	CBCP	Distributor Rebate Amount
PHILIPS	Halogen Energy Advantage IR	PAR30S	10°	120	40	14496-3	40PAR30S/IRC/HAL/SP10	2900	4200	720	9,100	\$6.00
PHILIPS			25°	120	40	14497-1	40PAR30S/IRC/HAL/FL25	2900	4200	720	2,420	\$6.00
PHILIPS			40°	120	40	14498-9	40PAR30S/IRC/HAL/WFL40	2900	4200	720	1,150	\$6.00
PHILIPS			10°	120	50	14499-7	50PAR30S/IRC/HAL/SP10	2900	4200	970	12,300	\$6.00
PHILIPS			25°	120	50	14500-3	50PAR30S/IRC/HAL/FL25	2900	4200	970	3,850	\$6.00
PHILIPS			40°	120	50	14501-1	50PAR30S/IRC/HAL/WFL40	2900	4200	970	1,460	\$6.00
PHILIPS			10°	130/120	50/44	13853-7	50PAR30S/IRC/HAL/SP10	2900	3000/6000	840/650	11,000	\$6.00
PHILIPS			25°	130/120	50/44	13854-5	50PAR30S/IRC/HAL/FL25	2900	3000/6000	840/650	3,400	\$6.00
PHILIPS			40°	130/120	50/44	13855-2	50PAR30S/IRC/HAL/WFL40	2900	3000/6000	840/650	1,350	\$6.00
PHILIPS			10°	120	60	15004-5	60PAR30S/IRC/HAL/SP10	2900	4200	1140	15,100	\$6.00
PHILIPS			25°	120	60	15007-8	60PAR30S/IRC/HAL/FL25	2900	4200	1140	4,300	\$6.00
PHILIPS			40°	120	60	14989-8	60PAR30S/IRC/HAL/WFL40	2900	4200	1140	1,800	\$6.00
PHILIPS	Halogen Energy Advantage IR Plus	PAR30S	10°	120	39	23853-5	39PAR30S/IRC+/SP10	2900	4200	650	11,000	\$6.00
PHILIPS			25°	120	39	23854-3	39PAR30S/IRC+/FL25	2900	4200	650	2,200	\$6.00
PHILIPS			10°	120	55	23855-0	55PAR30S/IRC+/SP10	2900	4200	1015	13,000	\$6.00
PHILIPS			25°	120	55	23856-8	55PAR30S/IRC+/FL25	2900	4200	1015	3,300	\$6.00
PHILIPS			40°	120	55	23857-6	55PAR30S/IRC+/WFL40	2900	4200	1015	1,500	\$6.00
Philips	Halogen Energy Advantage IR Plus	PAR30L	10	120	50	237990	50PAR30L/IRC/SP10	3000	4200	1000	12000	\$6.00
Philips			25	120	50	234294	50PAR30L/IRC/FL25	3000	4200	1000	3500	\$6.00
Philips			40	120	50	238006	50PAR30L/IRC/WFL40	3000	4200	1000	1600	\$6.00
Philips			10	120	39	238535	39PAR30S/IRC+/SP10	3000	4200	650	1100	\$6.00
Philips			25	120	39	238543	39PAR30S/IRC+/FL25	3000	4200	650	220	\$6.00
Philips			10	120	55	238550	55PAR30S/IRC+/SP10	3000	4200	1015	13000	\$6.00
Philips			25	120	55	238568	55PAR30S/IRC+/FL25	3000	4200	1015	3300	\$6.00
Philips			40	120	55	238576	55PAR30S/IRC+/WFL40	3000	4200	1015	1500	\$6.00
PHILIPS	Halogen Energy Advantage IR	PAR38	10°	120	40	14502-9	40PAR38/IRC/HAL/SP10	2900	4200	720	11,000	\$6.00
PHILIPS			25°	120	40	14503-7	40PAR38/IRC/HAL/FL25	2900	4200	720	2,900	\$6.00
PHILIPS			40°	120	40	14504-5	40PAR38/IRC/HAL/WFL40	2900	4200	720	1,200	\$6.00
PHILIPS			10°	120	50	14505-2	50PAR38/IRC/HAL/SP10	2900	4200	970	15,500	\$6.00
PHILIPS			25°	120	50	14506-0	50PAR38/IRC/HAL/FL25	2900	4200	970	4,000	\$6.00
PHILIPS			40°	120	50	14507-8	50PAR38/IRC/HAL/WFL40	2900	4200	970	1,600	\$6.00
PHILIPS			10°	120	60	13873-5	60PAR38/IRC/HAL/SP10	2900	4200	1120	15,500	\$6.00
PHILIPS			25°	120	60	13874-3	60PAR38/IRC/HAL/FL25	2900	4200	1120	5,100	\$6.00
PHILIPS			40°	120	60	13875-0	60PAR38/IRC/HAL/WFL40	2900	4200	1120	1,800	\$6.00
PHILIPS			10°	130/120	60/53	13920-4	60PAR38/IRC/HAL/SP10	2900	4200/8400	1120/880	15,500	\$6.00
PHILIPS			25°	130/120	60/53	13879-2	60PAR38/IRC/HAL/FL25	2900	4200/8400	1120/880	5,100	\$6.00
PHILIPS			40°	130/120	60/53	13918-8	60PAR38/IRC/HAL/WFL40	2900	4200/8400	1120/880	1,800	\$6.00
PHILIPS			10°	120	70	13861-0	70PAR38/IRC/HAL/SP10	2900	4200	1550	17,800	\$6.00
PHILIPS			25°	120	70	13862-8	70PAR38/IRC/HAL/FL25	2900	4200	1550	6,170	\$6.00
PHILIPS			40°	120	70	13863-6	70PAR38/IRC/HAL/WFL40	2900	4200	1550	2,320	\$6.00
PHILIPS			10°	120	100	13876-8	100PAR38/IRC/HAL/SP10	2900	4200	2200	26,400	\$6.00
PHILIPS			25°	120	100	13877-6	100PAR38/IRC/HAL/FL25	2900	4200	2200	8,500	\$6.00
PHILIPS			40°	120	100	13878-4	100PAR38/IRC/HAL/WFL40	2900	4200	2200	3,500	\$6.00

SMARTLIGHT QUALIFYING PRODUCTS

Philips Halogen Infrared and Reduced-Wattage Metal-Halide Lamps

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Type	Beam Angle	Volts	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs)	Lumens	CBCP	Distributor Rebate Amount
PHILIPS	Halogen Energy Advantage IR Plus	PAR38	10°	120	39	23844-4	39PAR38/IRC+/SP10	2900	4200	720	11,000	\$6.00
PHILIPS			25°	120	39	23845-1	39PAR38/IRC+/FL25	2900	4200	720	2,500	\$6.00
PHILIPS			10°	120	55	23847-7	55PAR38/IRCE/SP10	2900	4200	1120	16,500	\$6.00
PHILIPS			25°	120	55	23865-9	55PAR38/IRCE/FL25	2900	4200	1120	4,100	\$6.00
PHILIPS			40°	120	55	23849-3	55PAR38/IRCE/WFL40	2900	4200	1120	1,800	\$6.00
PHILIPS			10°	120	83	23850-1	83PAR38/IRC+/SP10	2900	4200	2000	25,000	\$6.00
PHILIPS			25°	120	83	23851-9	83PAR38/IRC+/FL25	2900	4200	2000	7,000	\$6.00
PHILIPS			40°	120	83	23852-7	83PAR38/IRC+/WFL40	2900	4200	2000	3,000	\$6.00
PHILIPS	Halogen Energy Advantage IR	MR16	8°	12	20	20258-0	20MRC16/IRC/ALU/SP8	3000	5000	320	6,000	\$6.00
PHILIPS			36°	12	20	20259-8	20MRC16/IRC/ALU/FL36	3000	5000	320	925	\$6.00
PHILIPS			8°	12	30	20260-6	30MRC16/IRC/ALU/SP8	3000	5000	560	10,000	\$6.00
PHILIPS			24°	12	30	20261-4	30MRC16/IRC/ALU/NFL24	3000	5000	560	3,000	\$6.00
PHILIPS			36°	12	30	20262-2	30MRC16/IRC/ALU/FL36	3000	5000	560	1,500	\$6.00
PHILIPS			8°	12	35	20263-0	35MRC16/IRC/ALU/SP8	3000	5000	730	12,500	\$6.00
PHILIPS			8°	12	35	21031-0	35MRC16/IRC/SP8	3000	5000	730	13,500	\$6.00
PHILIPS			24°	12	35	20267-1	35MRC16/IRC/ALU/NFL24	3000	5000	730	4,000	\$6.00
PHILIPS			24°	12	35	21030-2	35MRC16/IRC/NFL24	3000	5000	730	4,400	\$6.00
PHILIPS			36°	12	35	20268-9	35MRC16/IRC/ALU/FL36	3000	5000	730	2,000	\$6.00
PHILIPS			60°	12	35	20269-7	35MRC16/IRC/ALU/WFL60	3000	5000	730	975	\$6.00
PHILIPS			8°	12	45	20271-3	45MRC16/IRC/SP8	3000	5000	1040	14,000	\$6.00
PHILIPS			24°	12	45	20272-1	45MRC16/IRC/NFL24	3000	5000	1040	5,200	\$6.00
PHILIPS			36°	12	45	20273-9	45MRC16/IRC/FL36	3000	5000	1040	2,600	\$6.00
PHILIPS			60°	12	45	20274-7	45MRC16/IRC/WFL60	3000	5000	1040	1,250	\$6.00
PHILIPS			Halogen Energy Advantage	BR, R, and F Lamps	N/A	120	40	213546	40T60/HEA/WH 120V 12/1	2900	3000	100
PHILIPS	N/A	120			50	213561	50T60/HEA/WH 120V 12/2	2900	3000	100		\$6.00
PHILIPS	N/A	120			70	213587	70T60/HEA/WH 120V 12/3	2900	3000	100		\$6.00
PHILIPS	N/A	120			40	213595	40BR30/HEA/WH 120V 12/1	2815	3000	100		\$6.00
PHILIPS	N/A	120			50	229948	50BR30/HEA/WH 120V 12/2	2900	3000	100		\$6.00
PHILIPS	N/A	120			40	222364	40R20/HEA/WH 120V 12/3	2815	3000	100		\$6.00
PHILIPS	N/A	120			40	222380	40BR40/HEA/WH 120V 12/4	2900	3000	100		\$6.00
PHILIPS	N/A	120			70	229971	70BR40/HEA/WH 120V 12/5	2900	3000	100		\$6.00
PHILIPS	N/A	120			25	224006	25F101/2/C/HEA/CL 120V 15/1	2900	3000	100		\$6.00
PHILIPS	N/A	120			25	224055	25F101/2/HEA/CL 120V 15/1	2900	3000	100		\$6.00
PHILIPS	N/A	120			40	224071	40F101/2/C/HEA/CL 120V 15/1	2900	3000	100		\$6.00
PHILIPS	N/A	120			40	224089	40F101/2/HEA/CL 120V 15/1	2900	3000	100		\$6.00
PHILIPS	Econ-o-watt	Mogul	N/A	N/A	360	39065-8	M165/M59/S		20000	24,500	N/A	\$10.00
PHILIPS	Econ-o-watt	Mogul	N/A	N/A	360	39066-6	M165/M59/S		20000	22,600	N/A	\$10.00
PHILIPS	Metal Halide Energy Advantage All-Start	ED-28	N/A	N/A	205	23256-1	CDM205/U/O/4K	4000	20000	20,500	N/A	\$10.00
PHILIPS		ED-28	N/A	N/A	205	23692-7	CDM205/C/U/O/4K	4000	20000	18,000	N/A	\$10.00
PHILIPS		Mogul	N/A	N/A	330	23259-5	CDM330/U/O/4K	4000	20000	33,000	N/A	\$10.00
PHILIPS		Mogul	N/A	N/A	330	23693-5	CDM330/C/U/O/4K	4000	20000	31,000	N/A	\$10.00
PHILIPS	HPS	ED-18	N/A	N/A	225	32291-7	C225S50/EW	2100	24000	27,300	N/A	\$10.00
PHILIPS	HPS	ED-18	N/A	N/A	360	32292-5	C360S51/EW	2100	24000	46,000	N/A	\$10.00